



JAN 5 2006

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

DURTECH System Corp.
c/o Mr. Marc M. Mouser
Underwriters Laboratories Inc.
2600 N.W. Lake Road
Camas, Washington 98607

Re: K053285
Trade/Device Name: DT-1200 series
Regulation Number: 21 CFR 890.5850
Regulation Name: Powered Muscle stimulator
Regulatory Class: II
Product Codes: IPF, GZJ
Dated: December 20, 2005
Received: December 21, 2005

Dear Mr. Mouser:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 – Mr. Mouser

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, ☐ Misbranding by reference to premarket notification (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638 2041 or (301) 443 6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



for Mark N. Melkerson
Acting Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indication for Use

510(K) Number (if known): 16053285

Device Name: DT-1200 series

Indication For Use:

The DT-1200 series is a multifunction electrotherapy device with various treatment modes that allow for neuromuscular electrical stimulation (EMS) and transcutaneous electrical nerve stimulation (TENS).

As a EMS device, (available for DT-1200, DT-1200M and DT-1200PM) the DT-1200 is indicated for the following conditions:

- Relaxation of muscle spasms
- Prevention or retardation of disuse atrophy
- Increasing local blood circulation
- Muscle re-education
- Immediate post-surgical stimulation of calf muscles to prevent venous thrombosis
- Maintaining or increasing range of motion

As a TENS device, (available for DT-1200, DT-1200T and DT-1200PT) the DT-1200 is indicated for the following conditions:

- Symptomatic relief and management of chronic, intractable pain
- Adjunctive treatment for post-surgical and post-trauma acute pain

Prescription Use X AND/OR Over-The-Counter Use
(Part 21 CFR 801 Subpart D) (21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUED ON ANOTHER
PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation
(ODE)

(Division Sign-Off)

Division of General, Restorative, and Neurological Devices

510(k) Number K053285